# OPINIONS AND DECLARATIONS RENDERED BY THE INTER-NATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE

Edited by

## FRANCIS HEMMING, C.M.G., C.B.E. Secretary to the Commission

VOLUME 1. Section F. Part F.9. Pp. 127-160

DIRECTION 98 ( JUN 6

Interpretation under the Plenary Powers of the nomin species Vespertilio murinus Linnaeus, 1758, and insertion in the Official List of Generic Names in Zoology of a revised entry relating to the generic name Vespertilio Linnaeus, 1758 (Class Mammalia) (Direction supplementary to Opinion 91)

### LONDON:

Printed by Order of the International Trust for Zoological Nomenclature and

Sold on behalf of the International Commission on Zoological Nomenclature by the International Trust at its Publications Office 41, Queen's Gate, London, S.W.7 1958

Price One Pound, Two Shillings and Sixpence

(All rights reserved)

# INTERNATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE

#### COMPOSITION AT THE TIME OF THE ADOPTION OF THE RULING GIVEN IN DIRECTION 98

#### The Officers of the Commission

Honorary Life President: Dr. Karl JORDAN (British Museum (Natural History), Zoological Museum, Tring, Herts, England)

President: Professor James Chester Bradley (Cornell University, Ithaca, N.Y., U.S.A.) (12th August 1953)

Vice-President: Senhor Dr. Afranio do AMARAL (Sao Paulo, Brazil) (12th August 1953) Secretary: Mr. Francis Hemming (London, England) (27th July 1948)

#### The Members of the Commission

(Arranged in order of precedence by reference to date of election or of most recent re-election, as prescribed by the International Congress of Zoology)

Professor H. Boschma (Rijksmuseum van Natuurlijke Historie, Leiden, The Netherlands) (1st January 1947)

Senor Dr. Angel Cabrera (La Plata, Argentina) (27th July 1948)
Mr. Francis Hemming (London, England) (27th July 1948) (Secretary)
Dr. Henning Lemche (Universitetets Zoologiske Museum, Copenhagen, Denmark) (27th July 1948)

Professor Teiso Esaki (Kyushu University, Fukuoka, Japan) (17th April 1950)
Professor Pierre Bonnet (Université de Toulouse, France) (9th June 1950)
Mr. Norman Denbigh Riley (British Museum (Natural History), London) (9th June 1950) Professor Tadeusz Jaczewski (Institute of Zoology, Polish Academy of Sciences, Warsaw, Poland) (15th June 1950)

Professor Robert Mertens (Natur-Museum n. Forschungs-Institut Senckenberg, Frankfurt a. M., Germany) (5th July 1950)
Professor Erich Martin Hering (Zoologisches Museum der Humboldt-Universität zu Berlin,

Germany) (5th July 1950)
Senhor Dr. Afranio do Amaral (S. Paulo, Brazil) (12th August 1953) (Vice-President)
Professor J. R. Dymond (University of Toronto, Toronto, Canada) (12th August 1953)
Professor J. Chester Bradley (Cornell University, Ithaca, N.Y., U.S.A.) (12th August 1953) (President)

1953) (President)
Professor Harold E. Vokes (University of Tulane, Department of Geology, New Orleans, Louisiana, U.S.A.) (12th August 1953)
Professor Béla Hankó (Mezőgazdasági Muzeum, Budapest, Hungary) (12th August 1953)
Dr. Norman R. Stoll (Rockefeller Institute for Medical Research, New York, N.Y., U.S.A.) (12th August 1953)
Mr. P. C. Sylvester-Bradley (Sheffield University, Sheffield, England) (12th August 1953)
Dr. L. B. HOLTHUIS (Rijksmuseum van Natuurlijke Historie, Leiden, The Netherlands) (12th August 1953)

(12th August 1953)
Dr. K. H. L. Key (Commonwealth Scientific and Industrial Research Organisation, Canberra, A.C.T., Australia) (15th October 1954)
Dr. Alden H. MILLER (Museum of Vertebrate Zoology, University of California, U.S.A.)

(29th October 1954) Doc. Dr. Ferdinand PRANTL (Národni Museum V Praze, Prague, Czechoslovakia) (30th

October 1954)

Professor Dr. Wilhelm Kühnelt (Zoologisches Institut der Universität, Vienna, Austria)

(6th November 1954)

Professor F. S. Bodenheimer (The Hebrew University, Jerusalem, Israel) (11th November

1954)

Professor Ernst Mayr (Museum of Comparative Zoology at Harvard College, Cambridge, Massachusetts, U.S.A.) (4th December 1954)
Professor Enrico Tortonese (Museo di Storia Naturale, "G. Doria," Genova, Italy)

(16th December 1954)

## **DIRECTION 98**

INTERPRETATION UNDER THE PLENARY POWERS OF THE NOMINAL SPECIES "VESPERTILIO MURINUS" LINNAEUS, 1758, AND INSERTION IN THE "OFFICIAL LIST OF GENERIC NAMES IN ZOOLOGY" OF A REVISED ENTRY RELATING TO THE GENERIC NAME "VESPERTILIO" LINNAEUS, 1758 (CLASS MAMMALIA) ("DIRECTION" SUPPLEMENTARY TO "OPINION" 91)

RULING:—(1) Under the Plenary Powers it is hereby directed (a) that the nominal species *Vespertilio murinus* Linnaeus, 1758 (Class Mammalia) be interpreted in the manner adopted by Nilsson (S.) (1847) and therefore (b) that the type specimen of the nominal species *Vespertilio discolor* (Natterer MS.) Kuhl, 1817, be treated as the type specimen of the nominal species *Vespertilio murinus* Linnaeus, 1758.

- (2) It is hereby directed that the following revised entry in regard to the generic name *Vespertilio* Linnaeus, 1758, be substituted for the entry in regard thereto made on the *Official List of Generic Names in Zoology* by the Ruling given in *Opinion* 91:—
  - 376 Vespertilio Linnaeus, 1758 (gender: masculine) (type species, by Linnaeus, 1758, as interpreted under the Plenary Powers in (1) above).
- (3) It is hereby directed that the generic name *Myotis* Kaup, 1829, be treated as being of the masculine gender.

- (4) The under-mentioned generic name is hereby placed on the *Official List of Generic Names in Zoology* with the Name Number 1271:—
  - Myotis Kaup, 1829 (gender, as determined under (3) above: masculine) (type species, by monotypy: Vespertilio murinus Schreber, [1775]).
- (5) The under-mentioned specific names are hereby placed on the *Official List of Specific Names in Zoology* with the Name Numbers severally specified below:—
  - (a) murinus Linnaeus, 1758, as published in the combination Vespertilio murinus, as interpreted under the Plenary Powers in (1) above (specific name of type species of Vespertilio Linnaeus, 1758) (Name No. 1518);
  - (b) myotis Borkhausen, 1797, as published in the combination Vespertilio myotis (Name No. 1519).
- (6) The under-mentioned specific names are hereby placed on the *Official Index of Rejected and Invalid Specific Names in Zoology* with the Name Numbers severally specified below:—
  - (a) discolor (Natterer MS.) Kuhl, 1817, as published in the combination Vespertilio discolor (a junior objective synonym of murinus Linnaeus, 1758, as published in the combination Vespertilio murinus under the direction given under the Plenary Powers in (1) above) (Name No. 525);
  - (b) murinus Schreber, [1775], as published in the combination Vespertilio murinus (a junior homonym of murinus Linnaeus, 1758, as published in the combination Vespertilio murinus) (Name No. 526).

- (7) The under-mentioned family-group name is hereby placed on the Official List of Family-Group Names in Zoology with the Name Number 224:—
  - VESPERTILIONIDAE (correction of VESPERTILIA) Rafinesque, 1815 (type genus : Vespertilio Linnaeus, 1758).
- (8) The under-mentioned family-group name is hereby placed on the *Official Index of Rejected and Invalid Family-Group Names in Zoology* with the Name Number 263:—
  - VESPERTILIA Rafinesque, 1815 (type genus: Vespertilio Linnaeus, 1758) (an Invalid Original Spelling for VESPERTILIONIDAE).

### I. THE STATEMENT OF THE CASE

The purpose of the application submitted in the present case was to secure from the International Commission certain clarifications of the entry relating to the generic name Vespertilio Linnaeus, 1758 (Class Mammalia), made on the Official List of Generic Names in Zoology by the Ruling given in Opinion 91. The need for action in this matter came to light in the course of a survey of the entries made on the above Official List in the period up to the end of 1936 undertaken by the Office of the Commission in connection with the preparations for the publication of that List in book-form. The problems involved in the present case were found to be of considerable complexity and to raise issues of a taxonomic, as well as of a nomenclatorial, nature. The Secretary accordingly took the view that, before any recommendations could usefully be placed before the Commission in this case, it was desirable to hold a canvas of opinion among

interested specialists. These consultations were completed in the autumn of 1956 and on 30th November of that year Mr. Hemming drew up the following Report in which, after setting out the nature of the problems involved and giving particulars of the advice received from specialists in response to the questionnaire which had been issued on 13th March 1956, he submitted for the consideration of the Commission a series of recommendations based upon the views expressed by the majority of the specialists consulted:—

Proposed use of the Plenary Powers to determine the interpretation of the nominal species "Vespertilio murinus" Linnaeus, 1758, type species of the genus "Vespertilio" Linnaeus, 1758 (Class Mammalia) (Proposed clarification of a Ruling given in "Opinion" 91)

## By FRANCIS HEMMING, C.M.G., C.B.E.

(Secretary to the International Commission on Zoological Nomenclature)

The object of the present Report is to set out certain difficulties which have arisen in connection with the generic name *Vespertilio* Linnaeus, 1758 (Class Mammalia), a name which was placed on the *Official List of Generic Names in Zoology* by the Ruling given in *Opinion* 91 (1926, *Smithson. misc. Coll.* 73 (No. 4): 1—2), and to seek to overcome those difficulties by placing before the International Commission on Zoological Nomenclature proposals based upon the advice of specialists who have been kind enough to assist in the preliminary consideration of the problems raised in the present case.

2. The present problem was first brought to the attention of the Office of the International Commission when in 1955 steps were being taken in compliance with a General Directive issued to the International Commission by the Thirteenth International Congress of Zoology, Paris, 1948, to place on the Official List of Specific Names in Zoology (a) the specific name of the type species of every genus, the name of which had up till that time been placed on the Official List of Generic Names in Zoology where that name was the oldest available name for the species in question, and (b) in other cases whatever specific name was currently regarded as the oldest name available for that species. At this stage Professor Tadeusz Jaczewski drew attention to a paper in which Dr. Olof Ryberg, a well-known specialist in the bats, had expressed the view that the specific name murinus Linnaeus, 1758, as published in the combination Vespertilio murinus, the specific name of the type species of the genus Vespertilio Linnaeus, 1758, was a nomen dubium, the nominal species Vespertilio murinus Linnaeus being

indeterminable. In these circumstances it was clearly not possible at that time to proceed with the proposal that the foregoing specific name should be placed on the *Official List of Specific Names in Zoology*. Accordingly, on 19th April 1955 in my capacity as Secretary to the Commission I executed a Minute withdrawing the proposal which had been submitted in this matter in order to permit of the study of the issues involved.<sup>1</sup>

- 3. As a first step investigations were undertaken by the Office of the Commission for the purpose of determining the factual background of the present problem. This investigation showed that, while some specialists identify the nominal species *Vespertilio murinus* Linnaeus with the later established nominal species *Vespertilio discolor* (Natterer MS) Kuhl, 1817,\* and apply the name *murinus* Linnaeus to that species, other specialists reject the name *Vespertilio murinus* Linnaeus as a *nomen dubium* and use the name *discolor* Kuhl (which it is agreed represents a species which can be identified with certainty).
- 4. The following information collected in the Office of the Commission is relevant to the consideration of the foregoing question:—
  - (a) The nominal species *Vespertilio murinus*, with the interpretation of which the present paper is concerned, was established by Linnaeus in 1758 (*Syst. Nat.* (ed. 10) 1:32).
  - (b) In [1775] Schreber (*Die Säughthiere* 1:165, pl. 11) established another nominal species to which he also gave the name *Vespertilio murinus*. This name is invalid as it is a junior homonym of *Vespertilio murinus* Linnaeus, 1758. The identity of the species so named by Schreber is not in doubt and that species is the type species of the genus *Myotis* Kaup, 1829.†

<sup>&</sup>lt;sup>1</sup> The text of the Minute here referred to has been reproduced in paragraph 4 of *Direction* 22 (1955, *Ops. Decls. int. Comm. zool. Nomencl.* 1(C): 179—200), the *Direction* embodying the decisions taken by the Commission when complying so far as concerns the names of mammals, with the General Directive referred to above.

<sup>\*</sup> This name is commonly attributed either to "Natterer" or to "Natterer in Kuhl" and treated as having been published in 1819 in the Annalen der Wetterauischen Gesellschaft für die gesammte Naturkunde. The consultations with specialists carried out in the course of the preparation of the present paper have, however, shown (a) that Kuhl was alone responsible for the publication of this name, (b) that it was published separately in 1817 in Kuhl's "Die deutschen Fledermäuse" prior to the publication of that paper in the Annalen referred to above in 1818—1819. For full particulars see Appendix 1 to the present paper. [In the historical account given in the above paragraph the name Vespertilio discolor is cited as having been published by Natterer when it was so attributed by the authors under discussion.]

<sup>†</sup> For a note on certain difficulties arising in connection with this name see Appendix 2.

- (c) In 1817 (Die dtsch. Fledermäuse: 43) Kuhl published with an "indication" the name Vespertilio discolor previously proposed by Natterer in manuscript.\* As shown in (d) and (e) below, the species so named was identified by later authors with Vespertilio murinus Linnaeus, 1758. In the original description of discolor it is stated that this species only occurs in the southern part of "our area" [i.e., Germany]. Kuhl added that he had not found this species either in central or northern Germany or in Holland.
- (d) In 1847 (Skand. Faum., Daggdjuren: 17—20) Nilsson discussed the interpretation of Vespertilio murinus Linnaeus. He identified this with Vespertilio discolor Natterer† and reinstated the name murinus Linnaeus for the species in question. At the same time he rightly rejected the invalid name Vespertilio murinus Schreber (see (b) above) for the type species of Myotis Kaup, using for the latter species the name Vespertilio myotis Bechstein, 1801.‡
- (e) In 1897 (Ann. Mag. nat. Hist. (6) 20: 379—383) Miller (G.S.) discussed the interpretation of the nominal species Vespertilio murinus Linnaeus. After drawing attention to the opposite view taken by Blasius (1857) and Lilljeborg (1874), Miller concluded that, despite the inconvenience involved there was no valid reason for rejecting the action of Nilsson (1847) (see (d) above) in identifying the foregoing species with Vespertilio discolor Natterer. An extract from Miller's paper is attached to the present note as Section A of Appendix 3. In 1912 (Cat. Mamm. w. Europe Coll. Brit. Mus.: 238) Miller made the same identification without, however, making any further comment on it.
- (f) In 1926 the International Commission, when placing the name Vespertilio Linnaeus on the Official List, accepted Vespertilio murinus Linnaeus without comment as the type species of the genus so named. The proposals on which that Opinion was based had been submitted by Dr. Karl Apstein of Berlin and it was stated in the Opinion that those proposals had been studied by Miller who had reported that the names included in that application were valid and therefore that the proposals in question could be properly accepted. It is clear that the question of the interpretation of the nominal species Vespertilio

<sup>\*</sup> See the Footnote to paragraph 3 above and also the full discussion given in Appendix 1.

<sup>†</sup> See Footnote to paragraph 3 above.

<sup>‡</sup> See Appendix 2.

murinus Linnaeus was not expressly placed before the Commission on that occasion and that it cannot be held that by the action taken in the foregoing *Opinion* the Commission expressed any view on this subject.

- (g) In 1947 Olof Ryberg (Bats and Bat Parasites: 79—80) strongly attacked the identification of Vespertilio murinus Linnaeus with Vespertilio discolor Natterer,\* stating that Nilsson, by whom this identification was first made (see (d) above), was fully aware that the Linnean species could not be safely identified in this way. He concluded that the name murinus Linnaeus must be regarded as a nomen dubium. He added that "it would be a significant gain and a release from a heavy burden for the chiropterologist if this harmful name which cannot be referred to a definite species were avoided in the future". An extract from Ryberg's paper is attached to the present note as Section B of Appendix 3.
- (h) In 1951 (Checklist pal. ind. Mamm.: 152) Ellerman & Morrison-Scott accepted the name murinus Linnaeus for the Particoloured Bat, citing discolor Natterer\* (attributed to Kuhl) as a synonym.
- 5. In order to obtain the necessary taxonomic information on which to base a proposal for the consideration of the International Commission, a questionnaire asking for advice on the action which it was desirable should be taken by the Commission in this case was prepared for submission to a number of specialists who, it was thought, would be interested in the issues involved and would be in a position to furnish advice on those issues. The specialists whom it was decided so to consult were either known to be specialists in the group concerned or, by reason of working at National Natural History Museums, were in a position to obtain and furnish to the Office of the Commission the views of specialists in their respective museums or of other representative specialists in their own countries. The questions on which the advice of specialists was so sought, which appeared as paragraph 8 of the questionnaire, were the following:—
  - (1) What during (say) the last fifty years has been the majority usage in the literature? Has the name *murinus* been mostly common used or has the name *discolor* been most commonly used?
  - (2) If the name *murinus* has been most commonly used, would you be in favour of the Commission putting a stop to further argument and doubt on the question of interpretation by using its Plenary Powers to direct that the nominal species *Vespertilio*

<sup>\*</sup> See Footnote to paragraph 3 above.

murinus Linnaeus, 1758, be interpreted in the manner adopted by Nilsson (1847) and therefore identified with Vespertilio discolor Natterer, 1818 (or 1819)?\*

- (3) If the name discolor has been most commonly used, would you be in favour of the Commission using its Plenary Powers (i) to suppress the name murinus Linnaeus, 1758, as published in the combination Vespertilio murinus, for the purposes of the Law of Priority but not for those of the Law of Homonymy, thereby validating the name discolor Natterer, 1818,\* as published in the combination Vespertilio discolor, and (ii) to designate Vespertilio discolor Natterer\* to be the type species of the genus Vespertilio Linnaeus, 1758?
  - Note (A): If the name murinus Linnaeus were suppressed in the manner indicated above, the later name murinus Schreber, [1775], for the type species of Myotis Kaup, 1829,† would remain invalid under the Law of Homonymy.
  - Note (B): If it were to be decided to suppress murinus Linnaeus and to validate discolor, it would be essential that Vespertilio discolor Natterer should be made the type species of Vespertilio Linnaeus, for it would be impossible to leave that genus without a type species.
- 6. As the question of issue was primarily one of interest to workers on the Palaearctic Fauna, the majority of the specialists consulted were workers in European Institutions. The following is the list of specialists consulted. To these would have been added Dr. C. C. Sanborn (Chicago Natural History Museum), the well-known specialist in the Chiroptera, if it had not been understood that the state of his health prevented him from undertaking investigations of the present kind. For assistance in drawing up the list of specialists to be consulted I am particularly indebted to Professor Tadeusz Jaczewski and Dr. W. Serafinski (Warsaw).

# Specialists to whom the questionnaire prepared in the present case was issued

L. Bels (Utrecht, The Netherlands)

A. C. V. van Bemmel (Alkmaar, The Netherlands)

H. von. Boetticher (Coburg, Germany)

<sup>\*</sup> See Footnote to paragraph 3 above.

<sup>†</sup> See Appendix 2.

- J. Dorst (Muséum National d'Histoire Naturelle, Paris)
- E. Eisentraut (Stuttgart, Germany)
- A. H. de Faveaux (Abbaye de Maredsous, Belgium)
- S. Frechkop (Bruxelles, Belgium)
- T. Haltenorth (München, Germany)
- R. W. Hayman (British Museum (Natural History), London)
- A. M. Husson (Leiden, The Netherlands)
- W. P. Issel (München, Germany)

Remington Kellogg (Washington, D.C., U.S.A.)

- I. O. Kaisila (Helsinki, Finland)
- A. P. Kuzjekin (Moscow, U.S.S.R.)
- H. Mislin (Basel, Switzerland)

Erna Mohr (Hamburg, Germany)

- T. C. S. Morrison-Scott (British Museum (Natural History) London)
- O. Ryberg (Alnarp Institut, Sweden)
- W. Serafinski (Warsaw, Poland)
- G. G. Simpson (The American Museum of Natural History, New York)
- 7. As the result of the consultations described above, the views of ten specialists were obtained. Of these, eight (8) favoured the retention of the specific name murinus Linnaeus, 1758, as the name for the type species of Vespertilio Linnaeus, 1758, subject to the interpretation of that species under the Plenary Powers in the manner adopted by Nilsson (1847), while two (2) only favoured the suppression under the Plenary Powers of the specific name murinus Linnaeus and the designation under the same Powers of Vespertilio discolor (Natterer MS) Kuhl, 1817, to be the type species of the genus Vespertilio Linnaeus. Extracts from the communications so received are given in Appendix 4. In that Appendix comments received from specialists who support the retention and definitive interpretation of the nominal species Vespertilio murinus Linnaeus, 1758, are given in Section A, while those received from specialists who support the suppression under the Plenary Powers of the specific name murinus Linnaeus, 1758, as published in the combination Vespertilio murinus, are given in Section B. The International Commission is greatly indebted to these specialists for the help given in assembling the data required for the consideration of the present case.
- 8. In view of the clear preponderance of the views of specialists in favour of the retention of the specific name *murinus* Linnaeus, 1758,

as published in the combination Vespertilio murinus, subject to the interpretation under the Plenary Powers of the nominal species so named in the manner proposed, I recommend that that course be adopted by the International Commission. As will be appreciated, a decision in the present case is a matter of considerable urgency, since the present is one of the relatively small number of cases connected with the clarification or rectification of entries on the Official List of Generic Names in Zoology made in the period up to the end of 1936 on which the taking of decisions is an indispensable preliminary to the forthcoming publication of the Official List in book-form.

- 9. Under the General Directive given to the International Commission by the Thirteenth International Congress of Zoology, to which reference has been made in paragraph 2 of the present paper, it will be necessary to place on the *Official List of Specific Names in Zoology* the specific name *murinus* Linnaeus, 1758, as published in the combination *Vespertilio murinus*, as proposed to be defined under the Plenary Powers in paragraph 8 above if the recommendation there submitted is approved by the International Commission.
- 10. Under a further General Directive issued by the foregoing Congress directing that decisions by the Commission on applications relating to individual names are to be comprehensive in scope and to deal with all names which arise in connection with the cases in question, it will be necessary as part of the general settlement of the present case for the Commission: (1) to place on the Official Index of Rejected and Invalid Specific Names in Zoology (a) the specific name discolor Kuhl, 1817, as published in the combination Vespertilio discolor (which under the proposals now submitted would become a junior objective synonym of murinus Linnaeus, 1758, as published in the combination Vespertilio murinus) (paragraph 4(c) above) and (b) the specific name murinus Schreber, [1775], as published in the combination Vespertilio murinus, a junior homonym of the name published in the same combination by Linnaeus in 1758 (paragraph 4(b) above); (2) to place on the Official List of Generic Names in Zoology the generic name Myotis Kaup, 1829 (paragraph 4(b) above) and for the reasons given in Appendix 2 to direct that this name be treated as being of the masculine gender; (3) to place on the Official List of Specific Names in Zoology the specific name myotis Borkhausen, 1797, as published in the combination Vespertilio myotis the oldest available specific name for the type species of Myotis Kaup, 1829.\*
- 11. Finally, under a General Directive issued by the Fourteenth International Congress of Zoology, Copenhagen, 1953, it is necessary to consider the family-group-name problems involved in the present case. Here it is necessary to note that the nominal genus *Vespertilio*

<sup>\*</sup> See Appendix 2.

Linnaeus, 1758, is the type genus of the currently accepted family VESPERTILIONIDAE. This nominal family-group taxon was first established in the incorrect form VESPERTILIA by Rafinesque in 1815 (Analyse Nature: 54); it was first published in the correct form VESPERTILIONIDAE by Gray (J.E.) in 1821 (London med. Repository 15: 299). The generic name Myotis Kaup, 1829, has not been taken as the base for a family-group name, the genus so named being currently placed in the family VESPERTILIONIDAE.

- 12. In the light of the considerations set out in the present Report I recommend the International Commission on Zoological Nomenclature:—
  - (1) to use its Plenary Powers to direct that the nominal species Vespertilio murinus Linnaeus, 1758, be interpreted in the manner adopted by Nilsson (1847) and therefore that the type specimen of the nominal species Vespertilio discolor (Natterer MS) Kuhl, 1817, is to be treated as the type specimen also of Vespertilio murinus Linnaeus, 1758;
  - (2) to substitute the following revised entry on the Official List of Generic Names in Zoology in regard to the generic name Vespertilio Linnaeus, 1758, for that made in respect of the foregoing name by the Ruling given in Opinion 91:—

Vespertilio Linnaeus, 1758 (gender: masculine) (type species, by Linnaeus tautonymy: Vespertilio murinus Linnaeus, 1758, interpreted as proposed in (1) above under the Plenary Powers)

- (3) to direct that the generic name *Myotis* Kaup, 1829, be treated as being of the masculine gender;
- (4) to place the under-mentioned generic name on the Official List of Generic Names in Zoology:—

Myotis Kaup, 1829 (gender, as determined under (3) above: masculine) (type species, by monotypy: Vespertilio murinus Schreber, [1775]\*)

- (5) to place the under-mentioned specific names on the Official List of Specific Names in Zoology:—
  - (a) murinus Linnaeus, 1758, as published in the combination Vespertilio murinus, as proposed to be interpreted under

<sup>\*</sup> This name is a junior primary homonym of *Vespertilio murinus* Linnaeus, 1758, and is therefore invalid. The oldest available name for the species concerned is *Vespertilio myotis* Borkhausen, 1797.

- the Plenary Powers in (1) above (specific name of type species of *Vespertilio* Linnaeus, 1758);
- (b) myotis Borkhausen, 1797, as published in the combination Vespertilio myotis\*
- (6) to place the under-mentioned specific names on the Official Index of Rejected and Invalid Specific Names in Zoology:—
  - (a) discolor (Natterer MS) Kuhl, 1817, as published in the combination Vespertilio discolor (a junior objective synonym of murinus Linnaeus, 1758, as published in the combination Vespertilio murinus under the Ruling under the Plenary Powers recommended in (1) above);
  - (b) murinus Schreber, [1775], as published in the combination Vespertilio murinus (a junior primary homonym of murinus Linnaeus, 1758, as published in the combination Vespertilio murinus);
- (7) to place the under-mentioned family-group name on the Official List of Family-Group Names in Zoology:—
  - VESPERTILIONIDAE (correction of VESPERTILIA) Rafinesque, 1815 (type genus: Vespertilio Linnaeus, 1758);
- (8) to place the under-mentioned family-group name on the Official Index of Rejected and Invalid Family-Group Names in Zoology:—
  - VESPERTILIA Rafinesque, 1815 (type genus: *Vespertilio* Linnaeus, 1758) (an Invalid Original Spelling for VESPERTILIONIDAE).

#### APPENDIX 1 TO THE SECRETARY'S REPORT

Note on the authorship and date attributable to the name "Vespertilio discolor" commonly attributed to Natterer and treated as having been published in 1819

At the time when I drew up the questionnaire regarding the species to be accepted as the type species of the genus *Vespertilio* Linnaeus, 1758, there seemed to be some doubt both as to the date of the publication of the name *Vespertilio discolor* (a name commonly attributed to Natterer) and as to the paper in which this name was first published. I accordingly included in the questionnaire a request to specialists for information on this matter.

<sup>\*</sup> See the immediately preceding Footnote.

- 2. Two of the specialists to whom the questionnaire was despatched very kindly gave valuable assistance in this matter. These were: Father A. M. Husson (Rijksmuseum van Natuurlijke Historie, Leiden, The Netherlands); Dr. T. C. S. Morrison-Scott (at that time of the British Museum (Natural History), London, and now Director, The Science Museum. London). The relevant portions of the letters received from these specialists are reproduced in Annexes 1 and 2 respectively to the present note. The information so furnished is summarised in the immediately following paragraphs.
- 3. Authorship: The name Vespertilio discolor is commonly attributed either to "Natterer" or more frequently to "Natterer in Kuhl". Father Husson has, however, shown clearly that, while Natterer was responsible for the above name in manuscript, it was Kuhl who alone provided the "indication" on which under Article 25 the availability of this name rests. Accordingly this name should be attributed to Kuhl, either with or without a note that, as published by that author, it was a manuscript name of Natterer's.
- 4. Date of publication: The name Vespertilio discolor appeared twice in a paper by Kuhl entitled "Die deutschen Fledermäuse". This paper was published in the serial publication Annalen der Wetterauischen Gesellschaft für die gesammte Naturkunde. The volume in question was published both as Volume 4 of the above Society's *Annalen* and also as Volume 1 of the Second Series of that serial. Kuhl's paper was published in two instalments, of which the first appeared in Part 1, and the second in Part 2, of the foregoing volume. The first of these Parts appeared in 1818, the second in 1819. Hence it is that the name Vespertilio discolor has been treated by some authors as having been published in 1818 and by others as having been published in 1819. In the first of these Parts the above name appeared only as a nomen nudum. Accordingly, so far as concerns the publication of the above name in the Annalen, it ranks for priority only as from the publication of Part 2 of the volume concerned, where for the first time it appeared with an "indication", i.e., from 1819. Father Husson has drawn attention, however, to the fact that Kuhl's paper was published as a separate unit in 1817 under the title quoted above, and has advanced evidence in support of the view that this was not a mere preprint and that it should therefore be accepted as the place where the above name was first validly published. In this edition the name Vespertilio discolor appeared on page 43.
- 5. From the evidence summarised above it may be concluded that the correct attribution, date, and reference for the name under consideration is *Vespertilio discolor* (Natterer MS) Kuhl, 1817, *Die dtsch. Fledermause*: 43.

#### ANNEXE 1 TO APPENDIX 1

Extract from a letter dated 22nd March 1956 from A. M. Husson (Rijksmuseum van Natuurlijke Historie, Leiden, The Netherlands)

As to the author's name and the date of *Vespertilio discolor* I can give you the following information, which I obtained with the help of Dr. L. B. Holthius of the Leiden Museum.

Natterer often is incorrectly cited as the author of this species, while this actually should be Kuhl, who is the author of the paper (entitled "Die deutschen Fledermäuse") in which the description of the species was first published. Though Kuhl gave the name of his new species as Vespertilio discolor Natterer, there is not the slightest indication that the description was made by Natterer. On the contrary the description is of exactly the same set-up as the other descriptions given by Kuhl. Natterer discovered the species near Vienna, from where he sent ("mittheilte") material to Kuhl. Evidently Natterer recognised the species as new and suggested the name discolor to Kuhl. The same situation exists with Vespertilio kuhlii, also described for the first time in Kuhl's paper and for which he too cites Natterer as the author. Of this species Kuhl remarked: "Herr Natterer schoss diese Fledermaus selbst in Triest. Seiner Güte verdanke ich mehrere Exemplare, nach welchen ich diese Beschreibung entworfen. Das er sie nach meinen Namen genannt, erkenne ich dankbar als ein Zeichen der Freundschaft dieses verdienstvollen Mannes." (op. cit. p. 57). Here it is quite clear that Kuhl drew up the description and that Natterer only suggested the name. Both here as well as in Vespertilio discolor and the other species first described in Kuhl's paper, Kuhl must be regarded as the author.

G. S. Miller in his "Catalogue of the mammals of western Europe" (1912, p. 238) already correctly cited Kuhl as the author of all the new species described in his "Die deutschen Fledermäuse".

The date of publication of Vespertilio discolor causes another difficulty. Sherborn cites it as Vespertilio discolor Natterer, 1818, N. Ann. Wetterau. Ges. ges. Naturk. (1): 14, while Miller (op. cit., p. 238) cites the name as Vespertilio discolor Kuhl, 1819, Ann. Wetterau. Ges. ges. Naturk., iv (= Neue Ann., 1) pt. 2, p. 187.

Kuhl's paper appeared in two parts, the first of these occupied pp. 11—49 of Heft 1 of Bd. 4 of the Annalen der Wetterauischen Gesellschaft für die gesammte Naturkunde (= Abt. 1 of Bd. 1 of Neue Annalen, etc.), which was published in 1818, the second part including pp. 185—215 was published in Heft 2 of Bd. 4 of the Annalen (= Abt. 2 of Bd. 1 of the Neue Annalen, etc.), in 1819. On p. 14 a list of the species is given among which is Vespertilio discolor, but since no description

is given here, the 1818 name is a nomen nudum, so that Miller is correct in his opinion that the first description of V. discolor in the Ann. Wetterau. Ges. ges. Naturk., Bd. 4, p. 187 was published in 1819.

However, both Sherborn and Miller evidently overlooked the fact that before being published in the *Ann. Wetterau. Ges.*, etc., Kuhl's paper was issued as an independent publication in 1817. The Leiden Museum possesses a copy of this paper, which reads on the title page: Die/ deutschen Fledermäuse/ von/ Heinreich Kuhl./ Hanau, 1817. This publication also is referred to in Engelmann's 1846 *Bibliotheca Historico Naturalis*: 359. The fact that the *Ann. Wetterau. Ges. ges. Naturk.* were published in Frankfurt am Main (though printed in Hanau) shows that Kuhl's 1817 version is not just an antedated reprint The type setting, apart from a different heading on the first page is exactly like that in the paper in the *Ann. Wetterau. Ges. ges. Naturk.*, so that it is evident that the same type-matter was used for both papers. The two plates in the 1817 paper are the same as those of the 1818—1819 publication.

The correct reference to Vespertilio discolor thus is: Vespertilio discolor Kuhl, 1817, Die deutschen Fledermäuse: 43.

#### ANNEXE 2 TO APPENDIX 1

Extract from a letter dated 6th April 1956, from T. C. S. Morrison-Scott (British Museum (Natural History), London)

I can give you the following information regarding the bibliographical reference to *discolor*.

The work has two title pages: Annalen der Wetterauischen Gesellschaft für die gesammte Naturkunde Band IV, and Neue ditto, Band I. Both title pages are of equal prominence and you can take your choice. I believe that Band I of the new series was also the last. Now Part 1, page 14 (published in 1818) is a nominal list of the fifteen German bats in which No. 8 is, "Vespertilio discolor NATTERERI, zweifarbige Fledermaus.". The "bi-coloured bat" is not intended as a description; it is the common name in German, and corresponds in this list to such names as "spätfliegende Fledermaus", "langöhrige F.", "zwerg F.", "Daubenton'sche F.", "Bechsteinische F.", etc.

But in Part 2 (published in or about June 1819, according to a pencil note inserted in the work by Sherborn) on p. 187, there is given a very detailed description of *discolor*, together with Plate XXV which shows the animal.

The earlier mention of *discolor* is simply a sort of index and there is no doubt that the right reference is 1819, Part 2, p. 187. Incidentally we are concerned with just one paper by Kuhl, called " *Die deutschen Fledermäuse*", and it was published in two instalments.

It is not quite clear to me that the description is really by Natterer, though Kuhl does give some information about the bats occurrence, which he says that he obtained from Natterer.

#### APPENDIX 2 TO THE SECRETARY'S REPORT

# Two points arising in connection with the generic name "Myotis" Kaup, 1829

As a generic name involved in the *Vespertilio* case, it will be necessary, as part of the settlement to be arrived at in that case, that the generic name *Myotis* Kaup, 1829 (*Skizz. Entwickel.-Gesch. nat. Syst. europ. Thierwelt*: 106, 105), being an available name in current use, should be placed on the *Official List of Generic Names in Zoology*. There are two points in connection with this name which call for special mention. The first is concerned with the gender to be attributed to this name, the second with the determination of its type species. These matters are discussed below.

# (a) Gender attributable to the generic name "Myotis" Kaup, 1829

- 2. In accordance with standard practice I invited Professor L. W. Grensted, Consulting Classical Adviser, to furnish a Report on the question of the gender to be attributed to the generic name *Myotis* Kaup, 1829, when consideration comes to be given to the addition of that name to the *Official List of Generic Names in Zoology*. On 5th December 1956 Professor Grensted furnished the Report asked for and on 12th December 1956 he amplified this in a brief Supplementary Report. The texts of these Reports are given in the Annexe to the present Appendix.
- 3. Professor Grensted's Report shows that, if the word "myotis" were a Classical Latin word, it would be reasonable to expect that its gender would be feminine, though it must be noted that many nouns ending in "-is" take the masculine gender. Professor Grensted points out that in the case of the names of animals some nouns in "-is" are of common gender. He concludes that, as the word "myotis" is not a classical word, it would be defensible to treat it as being masculine in gender. This is the gender which has been widely used for this name by mammalogists.

4. In view of the fact that "myotis" is not a Classical Latin word, the rules applicable to such words are more of the nature of a guide than of that of strictly binding mandatory provisions. For this reason I am of the opinion that, having regard to the terms of the Reports furnished by the Consulting Classical Adviser, it would be legitimate for the International Commission to give a Ruling that the generic name *Myotis* Kaup, 1829, be treated as being of the masculine gender and that, having regard to the substantial usage of the masculine gender for adjectival specific names of species and subspecies in this genus it is desirable that such a Ruling be given. I accordingly recommend the adoption of this course.

# (b) Question of the type species of the genus "Myotis" Kaup, 1829

- 5. It is commonly stated in standard works of reference (e.g. by Miller (G.S.), 1912, Cat. Mamm. w. Europe Coll. Brit. Mus.: 166) that Vespertilio myotis Borkhausen, 1797 (Deutschl. Fauna 1:80) is the type species of the genus Myotis Kaup, 1829. From the strictly nomenclatorial standpoint, however, this statement is incorrect, for Kaup, when establishing the nominal genus Myotis, made no mention whatever of the specific name myotis Borkhausen.
- 6. An inspection of Kaup's strange little work shows that in it he pursued a fanciful system of grouping under which assemblages of species were placed in successive "Reihe", each assemblage consisting of a number of species of bird and one species of mammal. At the end of each of these lists was added the expression "genus of so-and-so", examples being "Genus Plesiosauris Ranarum" (: 72), "Genus Plesiosaurum" (: 74), "Genus Ichthyosaurorum" (: 83), etc. The species comprised in each assemblage were allotted numbers in consecutive order, the species at the head of the list being given the highest number and that at the bottom of the list the lowest. Each of these lists was followed by a series of short generic diagnoses related to the species cited in the preceding list by the use of the same serial numbers but arranged in the opposite order to that adopted for the lists of names of species. In these generic diagnoses new generic names were sometimes introduced. No nominal species were cited in these diagnoses. The species intended to be included in any given genus may, however, readily be ascertained by reference to the use of the same serial number (i) for the generic diagnosis and (ii) for the species concerned in the preceding list.
- 7. In the light of the foregoing explanation of the system employed in Kaup's book we may now examine his treatment of the generic name *Myotis*. For this purpose we have to turn to his "Funf und zwanzigste Reihe" (: 105). This assemblage consists of the following

nominal species numbered and arranged as follows: "3. Vespertilio murinus. 2. Caprimulgus europaeus. 1. Procellaria glacialis. Genus Ichthyosaurorum". Then Kaup gave the corresponding generic diagnosis as follows: "1. Fulmar. Rhantistes" (: 105) [referring back to Procellaria glacialis]; "2. Ziegenmelter. Caprimulgus" (: 106) [referring to Caprimulgus europaeus]; "3. Mäuseohr. Myotis" (: 106) [referring to Vespertilio murinus]. We see therefore, that the genus Myotis Kaup was established for the single nominal species Vespertilio murinus, which is therefore the type species by monotypy.

8. It is unfortunate that Kaup did not cite authors' names for the species mentioned in his book, for the binomen *Vespertilio murinus* was published twice as a new name before Kaup's time, first by Linnaeus in 1758 (for the species "indicated" by Linnaeus as the type species of the genus *Vespertilio*) and second, by Schreber in [1775] for a different species to which later (1797) Borkhausen gave the name *Vespertilio myotis*. Aided by the diagnosis provided by Kaup, specialists have always accepted the latter species as the type species of the genus *Myotis* Kaup, 1829. From the point of view of nomenclature the type species of that genus is therefore *Vespertilio murinus* Schreber, [1775] (*Die Säugthiere* 1: 165, pl. 11) and not, as commonly stated, *Vespertilio myotis* Borkhausen, 1797. This distinction is, however, purely formal, since (as we have seen) the first of these names is an invalid homonym, while the latter is the oldest available name for the same species.

#### ANNEXE TO APPENDIX 2

Reports on the gender attributable to the generic name "Myotis"
Kaup, 1829, furnished by Professor L. W. Grensted, Consulting
Classical Adviser to the International Commission on
Zoological Nomenclature

## (a) Report dated 5th December 1956

Normally *Myotis* would be feminine, like the closely related *Myosotis*. The only parallel that I have noted, *Amphotis*, is treated as feminine, and so are nouns in "-itis". (*Orobitis cyaneus* (L.)—so given in Kloet & Hincks—seems to be just wrong, since *orobitis* is a rare classical noun taken over from the Greek by Pliny and given as feminine).

The only doubt in the case of *Myotis* arises from the use of the name for a mammal, where considerations of sex do sometimes mean that a name gets its gender from its meaning and not from its form. The word *Myotis* is not classical. It should be feminine, but, if declared masculine, there would be some case for so doing.

### (b) Supplementary Report dated 12th December 1956

Perhaps I had better add a further line about these nouns in "-is". It seems, in classical Latin, that the sex question went a bit with the size of the animal. Thus canis is common gender. So is tigris, though it is masculine in prose writers and feminine in the poets. Felis is very rare in classical Latin, and is feminine—but it meant a small cat allied to weasels and such things. Leo is masculine—and, of course, such a name as Felis leo did not occur to classical writers. I have a feeling that a bat would be too small to come under this common gender principle and that, if Myotis had been a classical word for a bat, it would certainly have been feminine. But, as I have said, we have no direct classical precedent. Many nouns in "-is" are masculine and there is a considerable taxonomic tradition for making Myotis masculine. The word has, of course, nothing to do with otis (a bustard), which is feminine.

### APPENDIX 3 TO THE SECRETARY'S REPORT

Views as to the interpretation of the nominal species "Vespertilio murinus" Linnaeus, 1758, published by Gerrit S. Miller, Jr. in 1897 and by Olof Ryberg in 1947 respectively

(a) Extract from a paper by Gerrit S. Miller, Jr. entitled "The Nomenclature of some European Bats" published in 1897

(Miller (G.S.), 1897, Ann. Mag. nat. Hist. (6) 20: 379—383)

The exact identification of the species *murinus* among the Scandinavian members of the genus *Vespertilio*, although a matter of considerable difficulty, does not affect the use of the generic name. Nilsson,\* after a careful review of the facts, decided that the animal must have been the bat to which Natterer afterwards applied the name *discolor*. He therefore very properly placed the latter in the synonymy of *V. murinus* Linnaeus, and reinstated Bechstein's name *myotis* for the *Vespertilio murinus* of Schreber. Nilsson did not recognise "*Vesperugo*" as distinct from "*Vespertilio*". Hence he said nothing in regard to the tenability of the generic names. Ten years later, Blasius,† although admitting that the *Vespertilio murinus* of Linnaeus could not be the bat commonly known by that name, considered the species undeterminable, and therefore reasoned that the name first applied to it might

<sup>\*</sup> Skand. Fauna, Daggdjuren, pp. 17-20 (andra upplagen) (1847).

<sup>†</sup> Fauna der Wirbelthiere Deutschlands, Säugethiere, p. 74 (1857).

afterwards be properly used by Schreber in a different sense. It is not surprising, then, that Blasius continued to apply the name Vespertilio Linnaeus to the genus to which he had restricted it eighteen years before, notwithstanding the fact that, according to his own statement, it could not be made to include any of the Linnean species. In these rulings Blasius was followed by Lilljeborg,\* who gave detailed reasons for his belief that it is impossible to determine whether Linnaeus's bat is the species afterwards called Vespertilio discolor by Natterer, or that called Vespertilio Nilssoni by Keyserling and Blasius. In his opinion, contrary to that of Nilsson, the odds are in favour of the latter. Lilljeborg calls attention to Blasius's mistake in applying the generic name Vespertilio to a group containing no species known to Linnaeus, but concludes that since this error has become time-honoured, it were better uncorrected.

# (b) Extract from a work by Olof Ryberg entitled "Bats and Bat Parasites" published in 1947

(Ryberg, 1947, Bats and Bat Paras.: 79-80)

Nomenclature: The forms appearing in Sweden agree most nearly to the typical races. Therefore when discussing their biology a binary instead of a ternary (trinary) nomenclature has been used.

As regards nomenclature in this chapter I follow Miller, 1912. With reference to synonyms this work should be consulted. An exception is made in the case of *Vespertilio discolor* Natterer in Kuhl, 1819.

For this species Miller uses the name "Vespertilio murinus Linnaeus, 1758". Natterer's description is undoubtedly to be assigned to a determined species. Linnaeus's diagnosis is such as to make it impossible to identify a determined species. From references in the works of Linnaeus it is obvious even with full evidence that the name is a collective designation for several different European species. The collective name has during different periods and in different lands been used to designate a large number of different European species.

Although Nilsson was fully aware that a safe interpretation of the Linnean name was impossible he used it in 1847 for *Vespertilio discolor* Natterer in Kuhl, 1819. This designation was also used by the leading American bat specialist Gerrit Miller from 1897 onwards. I know

<sup>\*</sup> Sveriges och Norges Ryggradsdjur, i, pp. 124-126, 144 (1874).

of no other change in nomenclature which has caused a more hopeless confusion in the literature. If the name *murinus* is used with or without a mention of Linnaeus as author, one can seldom with certainty know to which species reference is being made. One could search out hundreds of mistakes, confusions and errors which have arisen in the literature quotations when this obsolete name has been used.

It would be a significant gain and a release from a heavy burden for the chiropterologist, if this harmful name which cannot be referred to a definite species were avoided in the future.

Even if it may be illogical, it would perhaps be an advantage to retain the name *Vespertilio* as a genus-designation for the species *discolor* Natterer in Kuhl, 1819.

Among the authors who perceived the confusion that arose through the use of the name *Vespertilio murinus* can be mentioned, among others, Lilljeborg, 1874, pp. 124—126; Brandt, 1855, pp. 26—27; Mohr, 1931, p. 19; Stiles & Nolan, 1931, p. 727.

#### APPENDIX 4 TO THE SECRETARY'S REPORT

Views as to the interpretation of the nominal species "Vespertilio murinus" Linnaeus, 1758, received from specialists in answer to the questionnaire issued on 13th March 1956

SECTION A: Comments received from specialists who favour the retention of the specific name "murinus" Linnaeus, 1758, as published in the combination "Vespertilio murinus", as the name for the type species of "Vespertilio" Linnaeus, 1758

## 1. G. G. Simpson (New York) (16th March 1956)

It is my impression that *murinus* has been much more commonly used in recent years than *discolor*. I have not made a long search but I find *murinus* used in all the standard reference works on my shelves. A further question here would be whether *murinus* has been recently used for any other species, and in spite of Ryberg's statement to the contrary, I do not find any ambiguity in recent applications of the name. I am on this basis strongly in favor of the alternative stated in paragraph 8, sub-paragraph (2).

### 2. R. W. Hayman (London) (19th March 1956)

I have looked into the major literature of the past 50 years on this subject, and can now reply to the three questions in paragraph 8 of your statement of the case.

- (a) Vespertilio murinus Linnaeus is the name that has certainly been most used in the literature of the last 50 years. All the major reviewers and writers have used it since Miller's 1897 paper.
- (b) I should be in favour of *murinus* being validated by the Commission in the manner adopted by Nilsson (1847).

### 3. H. Mislin (Mainz, Germany) (19th March 1956)

Soweit ich es überblicken kann, war der Name *murinus* in den letzten 50 Jahren gebräulicher als *discolor*.

2. und 3. Auf diese beiden Fragen kann ich nicht näher eingehen, aber ich muss zum ganzen Fragenkomplex grundsätzlich das folgende bemerken. In Deutschland und in der Schweiz haben wir bisher 21 Fledermausarten gefunden, die sich auf die beiden Familien der RHINOLOPHIDAE und der VESPERTILIONIDAE verteilen. Die gefundenen Arten der VESPERTILIONIDAE verteilen sich auf 8 Gattungen. waren die 4 Gattengun Nyctalus, Eptesicus, Vespertilio und Pipistrellus früher zu einer Gattung Vesperugo vereinigt. Die Arten der Gattung Myotis wurden unter dem Namen Vespertilio geführt, was leider infolge der verschiedenen Anwendung dieses Namens zu Verwechslungen fürhte, zumal auch die Anwendung der Artnamen viele Anderungen erfahren hat. So trägt jetzt die zweifarbige Fledermaus, die früher den Namen Vesperugo discolor den Namen Vespertilio murinus. Der Name Vespertilio murinus wurde abe früher für die jetzige Myotis myotis gebraucht. Myotis myotis (Borkh.) war früher Vespertilio murinus (Schreber). Ich habe diesen Exkurs nur gegeben um darauf aufmerksam zu machen dass der Name myotis und murinus oftmals verwechselt oder ausgetauscht worden ist.

Aber nun noch kurz zu Ihrer Frage. Die zweifarbige Fledermaus wurde meines Wissens früher nicht nur Vespertilio discolor genannt, sondern hiess auch Vespertilio discolor Natt. Ich möchte darum der Kommission vorschlagen, die in Frage stehenden Species als Vespertilio murinus Linnaeus zu bezeichnen.

Da ja für die Mausohr-Fledermaus die frühere Bezeichnung Vespertilio murinus Schreber heute nicht mehr verwendet wird und wie oben schon ausgeführt durch Myotis myotis (Borkh.) ersetzt worden ist, kann nomenklatorisch keine Verwechslung mehr auftreten und man sollte deshalb bei der zweifarbigen Fledermaus (Vespertilio

discolor Natter.) auf den ersten Autor nämlich auf Linnaeus zurückgreifen.

### 4. T. Haltenorth (München, Germany) (20th March 1956)

I am in favour of the Commission putting a stop to further doubt on *Vespertilio murinus* Linnaeus, 1758. *Vespertilio discolor* Natterer has to be a synonym of *V. murinus* Linnaeus. I am not in favour of the Commission suppressing the name *murinus* Linnaeus, 1758.

### 5. A. M. Husson (Leiden) (22nd March 1956)

- (1) It is very hard to say which of the two names *murinus* or *discolor* has been most commonly used in the last 50 years. My personal impression is that the ratio is about fifty-fifty, while the name *murinus* during that time has been used in several important publications like Miller's *Catalogue of the Manumals of Western Europe* (1912), Eisentraut's *Die Deutschen Fledermaüse* (1937), and Ellerman & Morrison-Scott's *Checklist of Palearctic and Indian Mammals* (1951).
- (2) In my opinion stability would be best served by accepting the interpretation of *Vespertilio murinus* Linnaeus, adopted by Nilsson and subsequently by Miller and numerous other authors.

I am therefore in favour of placing the specific name murinus Linnaeus, 1758, in the combination Vespertilio murinus, on the Official List of Specific Names in Zoology. Furthermore I am in favour of the Commission using its Plenary Powers to direct that the nominal species Vespertilio murinus Linnaeus, 1758, be interpreted in the manner adopted by Nilsson (1847) and therefore identified with Vespertilio discolor, 1817 (not 1818 or 1819 [see Appendix 5 as a Footnote]).

## 6. S. Frechkop (Bruxelles) (29th March 1956)

J'ai l'honeur de vous faire savoir que je suis partisan de la conservation du nom *Vespertilio murinus* Linné qui est celui de la "petite chauve-souris murine", tandis que *Myotis myotis* (Borkhausen) est le nom technique pour "le Murin".

## 7. W. Serafinski (Warsaw) (4th April 1956)

- (1) In the majority of publications during the last fifty years there was used the name *Vespertilio murinus* Linnaeus, 1758. Some authors added as a rule the synonym *Vespertilio discolor* Natterer *in* Kuhl, 1819.
- (2) I am accordingly supporting the action proposed in point (2) of paragraph 8 of your paper.

### 8. T. C. S. Morrison-Scott (London) (6th April 1956)

(1) There is no question about it. The name *murinus* has been the generally accepted one for this bat for the last sixty years.

I am strongly in favour of proposal (2) of your questionnaire and hope that action will be taken on it.

SECTION B: Comments received from specialists who favour the suppression under the Plenary Powers of the specific name "murinus" Linnaeus, 1758, as published in the combination "Vespertilio murinus", and the designation under the same Powers of "Vespertilio discolor" Natterer, 1818, to be the type species of the genus "Vespertilio" Linnaeus

### 1. Erna Mohr (Hamburg) (17th March 1956)

Habe ich bereits vor einem Vierteljahrhundert den Artnamen *murinus* Linnaeus abgelehnt zugunsten von *discolor* Kuhl resp. Natterer [see extract below].

Mohr Erna: The Mammals of Schleswig-Holstein, Altona/Elbe, 1931, p. 19: "5. Zweifarbige Fledermaus, Vespertilio discolor Kuhl. . . . Die von Miller angewendete Artbezeichnung murinus L. sollte besser vermieden werden; die Artnamen murinus, myotis und die deutsche Bezeichnung Mausohr für mehrere Arten verschiedener Gattungen haben das Fledermausstudium ganz ungebührlich belastet".

### 2. E. Eisentraut (Stuttgart) (29th March 1956)

Obgleich in den letzten Jahrzehnten für die in Frage kommende Species fast allgemein der Name Vespertilio murinus Linnaeus, 1758, angewendet wurde, stimme ich der Ansicht Rybergs zu, dass infolge der bestehenden Unklarheiten, welche Species vorgelegen hat, der Name Vespertilio discolor Nat., 1818, Gültigkeit haben soll. Vespertilio discolor Nat. wäre daher als "type species" für das Genus Vespertilio zu bezeichnen.

## II. THE SUBSEQUENT HISTORY OF THE CASE

2. Registration of the present application: Upon the discovery of the need for a revision of the entry relating to the generic

name Vespertilio Linnaeus, 1758, made on the Official List of Generic Names in Zoology by the Ruling given in Opinion 91, the problem so involved was allotted the Registered Number Z.N.(S.) 947.

- 3. Comments received before publication of the present application: As the result of the Questionnaire issued by the Office of the Commission on 13th March 1956, the views of ten specialists were obtained before the preparation of the Secretary's Report. The communications so received were reproduced in Appendix 4 of that Report. In addition, statements published by two other specialists were reproduced in Appendix 3 of the Secretary's Report.
- **4. Publication of the Secretary's Report:** The Secretary's Report was sent to the printer on 22nd January 1957 and was published on 29th March of that year in Part 4 of Volume 13 of the *Bulletin of Zoological Nomenclature* (Hemming, 1957, *Bull. zool. Nomencl.* **13:** 107—127).
- **5.** Issue of Public Notices: Under the revised procedure prescribed by the Thirteenth International Congress of Zoology, Paris, 1948 (1950, Bull. zool. Nomencl. 4:51—56), Public Notice of the possible use by the International Commission on Zoological Nomenclature of its Plenary Powers in the present case was given on 29th March 1957 (a) in Part 4 of Volume 13 of the Bulletin of Zoological Nomenclature and (b) to the other prescribed serial publications. In addition such Notice was given to four general zoological serial publications and to two specialist serials in Europe and America respectively.
- **6.** No Objection Received: No objection to the action proposed in the present case was received from any source.

7. Submission to the Commission by the Secretary in October 1957 of a Report on the issues involved in the present case: On 1st October 1957 the Secretary prepared for the consideration of the Commission the following Report drawing attention to the salient features of the present case:—

Proposed use of the Plenary Powers to clarify the entry on the "Official List of Generic Names in Zoology" relating to the generic name "Vespertilio" Linnaeus, 1758 (Class Mammalia) made by the Ruling given in "Opinion" 91

## By FRANCIS HEMMING, C.M.G., C.B.E.

(Secretary to the International Commission on Zoological Nomenclature)

The purpose of the present note is to draw attention in connection with Voting Paper V.P.(57)60 submitted herewith to the salient features of the problem arising in connection with the entry on the *Official List of Generic Names in Zoology* relating to the generic name *Vespertilio Linnaeus*, 1758 (Class Mammalia) made by the Ruling given in *Opinion* 91.

2. The interpretation of the nominal species "Vespertilio murinus" Linnaeus, 1758 (type species of "Vespertilio" Linnaeus, 1758): The type species of the genus Vespertilio Linnaeus is the nominal species Vespertilio murinus Linnaeus, 1758, and it is the interpretation of this nominal species which forms the principal subject of the present application. For when this entry on the Official List was being examined by the Office of the Commission, it was found that there was diversity of practice in this matter, some specialists using the name murinus Linnaeus, other setting it on one side and using in its place the later name discolor Natterer or Kuhl. The facts in regard to this question are set out in paragraph 4 of the application submitted (Bull. zool. Nomencl. 13: 108-110). Having ascertained what appeared to be the factual background in this matter, I took the view that the next step should be to consult specialists in this group—particularly those interested in the Palaearctic fauna—in order to elicit their views as to the course which it was desirable that the Commission should take to place the interpretation of the type species of the genus Vespertilio Linnaeus upon a firm foundation, this being necessary in order to provide a determinate content to the concepts represented by the nominal genus Vespertilio and the nominal family VESPERTILIONIDAE. Accordingly, on 13th March 1956 I issued a questionnaire in which I sought the views of specialists on the three questions set out in paragraph 5 of the application which I later submitted to the Commission (*loc. cit.* 13:110—111). This Questionnaire was issued to twenty specialists, the names of whom are given in the Annexe to the present paper.<sup>1</sup>

- 3. Replies were received from ten (10) of the specialists consulted. Of these eight (8) favoured the retention of the specific name murinus Linnaeus for the type species of the genus Vespertilio Linnaeus, subject to the use by the Commission of its Plenary Powers to direct that the nominal species so named be interpreted by reference to the type specimen of the nominal species Vespertilio discolor Natterer or Kuhl, 1817. The two (2) other specialists considered that it would be better for the Commission to suppress the name murinus Linnaeus, thus clearing the way for the acceptance of the later name discolor. The communications so received are reproduced in Appendix 4 of the application submitted (Bull. zool. Nomencl. 13: 124-127), while in Appendix 3 (loc. cit. 13: 122—124) are given extracts from important papers on the problem involved in this case, the one by Gerrit S. Miller, Jr. (1897), the other by Olof Ryberg (1947). In view of the replies received to the Questionnaire the recommendation submitted in my Report was that the name Vespertilio murinus Linnaeus should be retained, subject to a Ruling being given in the manner proposed as to the interpretation of the nominal species so named.
- 4. Authorship and date of publication to be attributed to the binomen "Vespertilio discolor": A secondary point which arose in the consideration of the present case was whether the binomen Vespertilio discolor should be attributed to Natterer (as it often has been in the literature) or to Kuhl. The evidence in regard to this question is set out in Appendix 1 to the application submitted (Bull. zool. Nomencl. 13:115—118). From that evidence it has been concluded that the specific name discolor was proposed in manuscript by Natterer but that it was Kuhl who provided the "indication" on which under Article 25 the availability of that name rests and that it was by Kuhl that this name was published. In these circumstances the name discolor is attributable to Kuhl and not to Natterer. This is however a case where it would be advantageous when citing this name to add in brackets (parenthesis) the words "Natterer MS" before the name Kuhl. The evidence in regard to the date of publication of the above name is also discussed in the Appendix referred to above. That evidence shows that this name was duly published in 1817 and not in 1819, as has sometimes been stated.

<sup>&</sup>lt;sup>1</sup> The Annexe referred to is not reproduced here, the names contained in it having been given in full in paragraph 6 of the application submitted in this case, which has been reproduced in the first paragraph of the present *Direction*.

5. Two points arising in connection with the generic name "Myotis" Kaup, 1829: As will be seen from the application submitted on the present case the generic name Myotis Kaup, 1829, is involved to some extent owing to the fact that the genus so named has as its type species a nominal species (Vespertilio murinus Schreber, [1775]), the name of which is a junior homonym of the name (Vespertilio murinus Linnaeus, 1758) of the type species of the genus Vespertilio Linnaeus. Accordingly under the "Completeness-of-Opinions" Rule that name should be dealt with as part of the settlement to be reached in the present When the status of the name Myotis Kaup was being considered from this point of view, two points emerged which required special investigation. The first of these was the gender to be attributed to the generic name Myotis Kaup, the second the question of the species to be treated under Article 30 as being the type species of the genus so named. The evidence in regard to these matters is set out in Appendix 2 to the application submitted (Bull. zool. Nomencl. 13: 119—122). The evidence regarding the first of these questions there set out shows that the masculine gender commonly attributed to this generic name may be accepted as correct. As regards the second of the above questions, the position disclosed is (a) that the nominal species Vespertilio myotis Borkhausen, 1797, commonly treated as being the type species of the genus Myotis, was not mentioned by Kaup when he established this genus and therefore that the above nominal species cannot be the type species, (b) that the type species of the above genus is Vespertilio murinus Schreber, [1775], by monotypy, (c) that (as already noted) the above name is invalid as being a junior homonym of Vespertilio murinus Linnaeus, 1758, and (d) that the oldest available name for the type species of the genus Myotis Kaup is Vespertilio myotis Borkhausen, 1797, the nominal species commonly—though incorrectly—cited as being the type species of that genus. Thus, the difficulty involved in this case is found to be purely formal and no change in current taxonomic practice is involved as the result of the acceptance as the type species of the nominal species (Vespertilio murinus Schreber) which is in fact the type species under the Règles.

(Note.—The next three paragraphs (paragraphs 6 to 8) gave particulars of the publication of the Secretary's Report of 30th November 1956, of the issue of Public Notices in regard to the possible use of the Plenary Powers in connection therewith and the fact that those Notices had elicited no objection to the action proposed from any source. These paragraphs are omitted here, as the information contained in them has already been given in paragraphs 4 to 6 of the present Direction.)

6. Recommendation: In these circumstances the proposals set out in Points (1) to (8) in paragraph 12 of the application published in

this case (Bull. zool. Nomencl. 13:114—115) are now submitted for approval.

1st October 1956

# III. THE DECISION TAKEN BY THE INTERNATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE

- 8. Issue of Voting Paper V.P.(57)60: On 11th October 1957 a Voting Paper (V.P.(57)60) was issued in which the Members of the Commission were invited to vote either for, or against, "the proposal relating to the generic name Vespertilio Linnaeus, 1758, and associated names as set out in Points (1) to (8) in paragraph 12 on pages 114—115 of Volume 13 of the Bulletin of Zoological Nomenclature" [i.e. in the paragraph numbered as above in the Report reproduced in the first paragraph of the present Direction.]
- 9. The Prescribed Voting Period: As the foregoing Voting Paper was issued under the Three-Month Rule, the Prescribed Voting Period closed on 11th January 1958.
- 10. Particulars of the Voting on Voting Paper V.P.(57)60: At the close of the Prescribed Voting Period, the state of the voting on Voting Paper V.P.(57)60 was as follows:—
  - (a) Affirmative Votes had been given by the following twentythree (23) Commissioners (arranged in the order in which Votes were received):

Holthuis; Vokes; Bonnet; Mayr; Riley; do Amaral; Lemche; Hering; Dymond; Esaki; Bodenheimer; Boschma; Hemming; Prantl; Hankó; Jaczewski; Miller; Stoll; Kühnelt; Cabrera; Sylvester-Bradley; Tortonese; Key;

(b) Negative Votes, two (2):

Bradley (J.C.); Mertens;

(c) Voting Papers not returned:

None.

- 11. Declaration of Result of Vote: On 12th January 1958, Mr. Hemming, Secretary to the International Commission, acting as Returning Officer for the Vote taken on Voting Paper V.P.(57)60, signed a Certificate that the Votes cast were as set out in paragraph 10 above and declaring that the proposal submitted in the foregoing Voting Paper had been duly adopted and that the decision so taken was the decision of the International Commission in the matter aforesaid.
- 12. Preparation of the Ruling given in the present "Direction": On 15th January 1958 Mr. Hemming prepared the Ruling given in the present *Direction* and at the same time signed a Certificate that the terms of that Ruling were in complete accord with those of the proposal approved by the International Commission in its Vote on Voting Paper V.P.(57)60.
- 13. Original References for Generic and Specific Names: The following are the original references for the generic and specific names placed on *Official Lists* and *Official Indexes* by the Ruling given in the present *Direction*:—

discolor, Vespertilio, (Natterer MS.) Kuhl, 1817, Die dtsch. Fledermäuse: 43

murinus, Vespertilio, Linnaeus, 1758, Syst. Nat. (ed. 10) 1:32

murinus, Vespertilio, Schreber, [1775], Die Säugthiere 1:165, pl. 11

Myotis Kaup, 1829, Skizz. Entwickel.-Gesch. nat. Syst. europ. Thierwelt: 106

myotis, Vespertilio, Borkhausen, 1797, Deutschl. Fauna 1:80

14. Reference to a determination by a First Reviser: The following is the reference to a determination by a First Reviser specified in the Ruling given in the present *Direction*:—

For Vespertilio murinus Linnaeus, 1758, interpretation of Nilsson, (S.), 1847, Skand. Fann., Daggdjuren: 17—20

15. Original References for Family-Group Names: The following are the original references for the family-group names placed by the Ruling given in the present *Direction* on the *Official List* and *Official Index* of names for taxa of the family-group category respectively:—

VESPERTILIA Rafinesque, 1815 (an Invalid Original Spelling for VESPERTILIONIDAE)

VESPERTILIONIDAE (correction of VESPERTILIA) Rafinesque, 1815, Analyse Nature: 54

16. Compliance with Prescribed Procedures: The prescribed procedures were duly complied with by the International Commission on Zoological Nomenclature in dealing with the present case, and the present *Direction* is accordingly hereby rendered in the name of the said International Commission by the under-signed Francis Hemming, Secretary to the International Commission on Zoological Nomenclature, in virtue of all and every the powers conferred upon him in that behalf.

17. "Direction" Number: The present *Direction* shall be known as *Direction* Ninety-Eight (98) of the International Commission on Zoological Nomenclature.

DONE in London, this Fifteenth day of January, Nineteen Hundred and Fifty-Eight.

Secretary to the International Commission on Zoological Nomenclature

FRANCIS HEMMING